| | Туре | L # | Hits | Search Text | DBs |
|----|------|-----|------|--|-------------------------------|
| 10 | BRS | L10 | 229 | ((optical or optic) near2 (fiber or fibers or fibre or fibres)) and (((polarization or polarisation) near2 (adjust or adjusted or adjusting or adjustable or adjusts or alter or altering or altered or alters or controllable or controlling or control or controlled or controls or tune or tunable or tunes or tuned or tuning)) with (rotate or rotating or rotates or rotated or rotation)) | USPAT |
| 11 | BRS | L11 | 83 | ((optical or optic) near2 (fiber or fibers or fibre or fibres)) and (((polarization or polarisation) near2 (adjust or adjusted or adjusting or adjustable or adjusts or alter or altering or altered or alters or controllable or controlling or control or controlled or controls or tune or tunable or tunes or tuned or tuning)) with (rotate or rotating or rotates or rotated or rotation)) | US-PGPUB |
| 12 | BRS | L12 | 35 | ((optical or optic) near2 (fiber or fibers or fibre or fibres)) and (((polarization or polarisation) near2 (adjust or adjusted or adjusting or adjustable or adjusts or alter or altering or altered or altering or controllable or controlling or control or controlled or controls or tune or tunable or tunes or tuned or tuning)) with (rotate or rotating or rotates or rotated or rotation)) | EPO; JPO; DERWENT; IBM_TDB |
| 13 | BRS | L13 | 3 | carrier and (mounting adj structure) and (optical adj semiconductor adj device) | USPAT |
| 14 | IS&R | L14 | 1397 | (385/14).CCLS. USPAT | |

| | Time Stamp | Comments | Error Definition | Errors |
|----|---------------------|----------|---------------------|--------|
| 10 | 2003/06/23 09:39 | | | 0 |
| 11 | 2003/06/23 09:39 | | | 0 |
| 12 | 2003/06/23 09:39 | | | O |
| 13 | 2003/06/23 | | | 0 |
| 14 | 2003/06/23 10:08 | | | 0 |

| | Туре | L # | Hits | Search Text | DBs |
|---|------|-----|------|--|---|
| 1 | BRS | L1 | 2728 | (polarization) same rotator | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 2 | BRS | L2 | 224 | (polarization)same reflector same rotator | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 3 | BRS | L3 | 62 | (polarization)near5 reflector near5 rotator | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 4 | BRS | L4 | 0 | (polarization adj dependent adj reflector)near5 rotator | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 5 | IS&R | L5 | 7409 | ((385/11) or (385/16) or (385/18) or (385/24) or (385/31) or (385/33) or (385/34) or (385/35) or (385/36) or (385/47) or (385/115) or (385/122) or (385/127) or (385/128) or (385/129) or (385/131)).CCLS. | USPAT |
| 6 | BRS | L6 | 209 | 5 and @pd>20030410 | USPAT |
| 7 | BRS | L7 | 963 | ((optical or optic) near2 (fiber or fibers or fibre or fibres)) and ((polarization or polarisation) near2 (reflect or reflecting or reflected or reflects or reflection)) | USPAT |
| 8 | BRS | L8 | 77 | 6 and (polarization or polarisation) | USPAT |
| 9 | BRS | L9 | 46 | ((optical or optic) near2 (fiber or fibers or fibre or fibres)) and ((polarization or polarisation) near2 (reflect or reflecting or reflected or reflects or reflection)) and (rotate or rotates or rotating or rotated or rotation) near3 ((dependent or adjust or tune or "can be" or alter)) | USPAT |

| | Time Stamp | Comments | Error Definition | Errors |
|---|---------------------|----------|---------------------|--------|
| 1 | 2003/06/23 09:19 | | | 0 |
| 2 | 2003/06/23 09:20 | | | 0 |
| 3 | 2003/06/23 09:20 | | | 0 |
| 4 | 2003/06/23 09:22 | | | 0 |
| 5 | 2003/06/23 09:23 | | | 0 |
| 6 | 2003/06/23 09:25 | | | 0 |
| 7 | 2003/06/23 09:36 | | | 0 |
| 8 | 2003/06/23 09:26 | | | 0 |
| 9 | 2003/06/23 09:33 | | | 0 |